

Search

Get

Browse

Submit

Clear

DBs

US-PG-PUB, US-PAT

Default operator:

OR

☒ Bursals

☒ highlight all the terms exactly

(((radio near frequency) or rf) and semi\$1conductor and dielectric and (conductive near (layer or element or substrate)) and (openings or holes) and (surfaces near3 oppos\$4)).cim.

Ready NUM

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4197	(343/700ms).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/04/12 17:09
L2	87	((radio near frequency) or rf) and semi\$1conductor and dielectric and (conductive near (layer or element or substrate)) and (openings or holes)).clm.	US-PGPUB; USPAT	OR	ON	2007/04/12 17:13
L3	6	((radio near frequency) or rf) and semi\$1conductor and dielectric and (conductive near (layer or element or substrate)) and (openings or holes) and (surfaces near3 oppos\$4)).clm.	US-PGPUB; USPAT	OR	ON	2007/04/12 17:16
S1	1636	(RF or (radio near frequency)) and ((dielectric with (surface\$2 or side\$2)) with (opening or hole)) and semi\$1conductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/01 18:36
S2	55	(RF or (radio near frequency)) and ((dielectric with (surface\$2 or side\$2)) with (opening or hole) with (uniform or even)) and semi\$1conductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/01 18:20
S3	1	("6743731").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/01 18:22
S4	5	((("5853601") or ("5424698") or ("6131256") or ("6093330") or ("5998816"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/01 18:23
S5	11701	((dielectric with (surface\$2 or side\$2)) with (opening or hole)) and semi\$1conductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/01 18:56
S6	16	((dielectric with (surface\$2 or side\$2)) with (opening or hole) with rounded) and semi\$1conductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 12:57
S7	1	("5853601").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/02 15:39

EAST Search History

S8	1039	(216/2).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/02 15:40
S9	343	S8 and dielectric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 15:40
S10	280	S9 and (holes or windows or openings)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 16:28
S19	8135	(round\$3 near3 edge) with (hole or opening or window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 18:34
S20	400	S19 and semi\$1conductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 18:34
S21	148	S20 and dielectric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 18:35
S22	69	S21 and @ad<"20001212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 18:55
S23	0	S22 not S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 18:55
S24	79	S21 not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 19:00

EAST Search History

S25	1	("6352931").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/03 16:01
S26	1	("5853601").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/03 16:01